



eskata[®]

(hydrogen peroxide) topical solution, 40% (w/w)

Hiding your **raised age spots**, known as seborrheic keratoses (SKs)?

Meet **ESKATA**: the first and only FDA-approved topical treatment for raised SKs.

Not an actual patient.

Selected Important Safety Information

ESKATA can cause serious side effects, including:

- **Eye problems.** Eye problems can happen if ESKATA[®] (hydrogen peroxide) topical solution, 40% (w/w) gets into your eyes, including: ulcers or small holes in your eyes, scarring, redness, irritation, eyelid swelling, severe eye pain, and permanent eye injury, including blindness.

Please see the full Important Safety Information on page 6 and accompanying full Patient Information.



Not an actual patient.

It's time to stop hiding— and start **ESKATA**

ESKATA is the first and only FDA-approved topical treatment for raised SKs. If you have raised SKs, talk to your healthcare provider today—because **ESKATA** is here to help.

In clinical studies, 18% of patients experienced clearance of 3 out of 4 of their raised SKs treated with **ESKATA** vs 0% with vehicle. Results were evaluated at Day 106 after initial treatment. Nearly all patients received 2 treatments.

Selected Important Safety Information (cont'd)

- If **ESKATA** accidentally gets into your eyes, your healthcare provider will tell you to flush them well with water for 15 to 30 minutes. Your healthcare provider may send you to another healthcare provider if needed.
- **Local skin reactions.** Skin reactions have happened in and around the treatment area after application of **ESKATA**. Severe skin reactions can include: breakdown of the outer layer of the skin (erosion), ulcers, blisters and scarring. Tell your healthcare provider if you have any skin reactions during treatment with **ESKATA**.

Please see the full Important Safety Information on page 6 and accompanying full Patient Information.



eskata[®]

(hydrogen peroxide) topical solution, 40% (w/w)

5 Key SK Questions

1 What are these spots on my face?

If they are SKs, they are harmless, non-cancerous growths. The spots can be flat* or raised with a color that is normal skin tone or darker. SKs can have a velvety, shiny, or wart-like texture and grow thicker. Over time, they may get bigger and more may show up.

*ESKATA is approved to treat raised SKs.

2 Why did I get them?

Some risk factors include age and genetics.

3 How are they treated with ESKATA?

ESKATA provides:

- The only FDA-approved, topical treatment that can treat raised SKs
- A proprietary solution based on a high concentration of hydrogen peroxide that your healthcare provider applies directly to raised SKs using a soft-tip, pen-like applicator
- Topical treatment of raised SKs with a low risk of scarring (3% of patients in clinical studies)



4 What is ESKATA treatment like?

- **ESKATA** is applied with the soft-tip, pen-like applicator at your healthcare provider's office
- Your healthcare provider will treat each raised SK 4 times, approximately 1 minute apart
- The most common side effects of **ESKATA** include itching, stinging, crusting, swelling, redness, and scaling
- **ESKATA** is not covered by insurance; it is a self-pay treatment
- **ESKATA** should not be used on open or infected lesions

5 When will I see results?

Your healthcare provider will evaluate your results approximately 3 weeks after treatment with **ESKATA**. If your treated raised SKs are not clear, your healthcare provider may apply **ESKATA** once more, as long as the treatment area is not irritated. In clinical studies, results were evaluated at Day 106 after initial treatment.

Selected Important Safety Information (cont'd)

The most common side effects of ESKATA include: itching, stinging, crusting, swelling, redness and scaling.

Your healthcare provider will not apply another treatment of ESKATA if your treated area is still irritated from the previous treatment.

Tell your healthcare provider right away if ESKATA gets into your eyes, mouth or nose during application.

ESKATA is for topical use on the skin only, and is not for use in your eyes, mouth or vagina.

These are not all the possible side effects of ESKATA.

Please see the full Important Safety Information on page 6 and accompanying full Patient Information.


eskata[®]
(hydrogen peroxide) topical solution, 40% (w/w)

Real people, real results

These patients each had 1 or more raised SKs treated with **ESKATA**.

In clinical studies, 18% of patients experienced clearance of 3 out of 4 of their raised SKs treated with **ESKATA** vs 0% with vehicle. Results were evaluated at Day 106 after initial treatment. Nearly all patients received 2 treatments.

Turn to the following page to see these patients before and after treatment with ESKATA.

Kirsten



Jenn



Mark



Anna



Actual patients. Individual results may vary.


Selected Important Information (cont'd)

ESKATA can cause serious side effects, including:

- **Eye problems.** Eye problems can happen if ESKATA® (hydrogen peroxide) topical solution, 40% (w/w) gets into your eyes, including: ulcers or small holes in your eyes, scarring, redness, irritation, eyelid swelling, severe eye pain, and permanent eye injury, including blindness.
- **If ESKATA accidentally gets into your eyes, your healthcare provider will tell you to flush them well with water for 15 to 30 minutes. Your healthcare provider may send you to another healthcare provider if needed.**

Please see the full Important Safety Information on page 6 and accompanying full Patient Information.


eskata®
(hydrogen peroxide) topical solution, 40% (w/w)



The most common side effects of **ESKATA** include itching, stinging, crusting, swelling, redness, and scaling.

Actual patients. Individual results may vary.

Selected Important Information (cont'd)

• **Local skin reactions.** Skin reactions have happened in and around the treatment area after application of ESKATA. Severe skin reactions can include: breakdown of the outer layer of the skin (erosion), ulcers, blisters and scarring. Tell your healthcare provider if you have any skin reactions during treatment with ESKATA.

The most common side effects of ESKATA include: itching, stinging, crusting, swelling, redness and scaling. Your healthcare provider will not apply another treatment of ESKATA if your treated area is still irritated from the previous treatment.

Please see the full Important Safety Information on page 6 and accompanying full Patient Information.


 (hydrogen peroxide) topical solution, 40% (w/w)

It's time to stop hiding—and start ESKATA

Applied with a soft-tip, pen-like applicator,
ESKATA is the first and only FDA-approved
topical treatment for raised SKs.

Talk to your healthcare
provider today



Important Safety Information and Approved Use

ESKATA can cause serious side effects, including:

- **Eye problems.** Eye problems can happen if ESKATA® (hydrogen peroxide) topical solution, 40% (w/w) gets into your eyes, including: ulcers or small holes in your eyes, scarring, redness, irritation, eyelid swelling, severe eye pain, and permanent eye injury, including blindness.
- **If ESKATA accidentally gets into your eyes, your healthcare provider will tell you to flush them well with water for 15 to 30 minutes. Your healthcare provider may send you to another healthcare provider if needed.**
- **Local skin reactions.** Skin reactions have happened in and around the treatment area after application of ESKATA. Severe skin reactions can include: breakdown of the outer layer of the skin (erosion), ulcers, blisters and scarring. Tell your healthcare provider if you have any skin reactions during treatment with ESKATA.

The most common side effects of ESKATA include: itching, stinging, crusting, swelling, redness and scaling. Your healthcare provider will not apply another treatment of ESKATA if your treated area is still irritated from the previous treatment.

Tell your healthcare provider right away if ESKATA gets into your eyes, mouth or nose during application. ESKATA is for topical use on the skin only, and is not for use in your eyes, mouth or vagina.

These are not all the possible side effects of ESKATA.

Approved Use for ESKATA

ESKATA is a prescription medicine used to treat seborrheic keratoses that are raised.

ESKATA is for use as an in-office treatment. ESKATA is applied by your healthcare provider and is not for use at home.

You are encouraged to report negative side effects of prescription drugs to the FDA. Contact Aclaris Therapeutics, Inc. at 1-833-ACLARIS or 1-833-225-2747 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see accompanying full Patient Information.

© Copyright 2018 Aclaris Therapeutics, Inc. All rights reserved.
ESKATA is a registered trademark of Aclaris Therapeutics, Inc.
PP-ESK-US-0454 10/18



eskata
(hydrogen peroxide) topical solution, 40% (w/w)